

Hepatitis B and Hepatitis A vaccination uptake in the child population of Greece

**Viral Hepatitis Prevention Board Meeting
Athens, 15-16 November 2007**


***T Panagiotopoulos
National School of Public Health, Athens
Dept of child health***

The Greek Childhood Vaccination Schedule

	DTaP	Hib ¹	IPV	MMR	HepB ²	MenC ³	PCV7 ⁴	Var ⁵	BCG	dT ⁶
2 months	Yes	Yes	Yes		Yes	Yes	Yes			
4 months	Yes	Yes	Yes		Yes	Yes	Yes			
6 months	Yes	Yes					Yes			
6-18 months			Yes		Yes					
12-15 months		Yes		Yes			Yes			
12-18 months								Yes		
15-18 months	Yes					Yes				
4-6 years	Yes		Yes	Yes						
6 years									Yes	
11-18 years										Yes
13-18 years								Yes		
>18 years										Yes

The Greek Childhood Vaccination Schedule as on 10 April 2007

HepB and HepA doses distributed, Greece, 1990-2003



National vaccination coverage survey, 2006

Objectives

- to assess immunisation coverage by vaccine / dose
 - of **1st grade** children (6-yrs old)
 - at national level
 - at regional level
 - of **9th grade** children (14-yrs old) *
 - at national level

* last year of compulsory school

Sampling design: stratification and cluster sampling

- Stratification by geographical region and type of area (urban/rural)
- Random sample of school classes (“clusters”) within strata
- All students in the selected school classes included

1st grade

- Different sampling fraction by region → adequate sample size in each region
- Weighting in analysis for results at national level

9th grade

- The same sampling fraction in all regions

Sample size and sampling fraction

<i>Gepgraphical region</i>	<i>No. of school classes</i>		<i>No. of children</i>		<i>Sampling fraction (school classes)</i>	
	<i>1st grade</i>	<i>9th grade</i>	<i>1st grade</i>	<i>9th grade</i>	<i>1st grade</i>	<i>9th grade</i>
Ipiros - Ionian islands	59	4	611	57	13,49%	1,22%
Kriti - Aegean islands	55	7	605	134	5,44%	1,22%
Macedonia - Thessalia	46	17	639	275	2,19%	1,22%
Attiki	50	17	840	226	3,36%	1,22%
Stereia - Peloponnissos	58	11	608	199	3,78%	1,22%
Thraki	79	2	575	32	15,71%	1,22%
TOTAL	342	58	3.878	923	4,35%	1,22%

Sampling frame, Response rate

	<i>1st grade</i>	<i>9th grade</i>
• Sampling frame (full list of schools, 2004-05)		
– Schools	5,745	1,943
– School classes	7,562	4,767
• Sample (2005-06)		
– School classes	342	58
– Children	4,390	1,290
• Response		
– No. of children	3,878 / 4,390	923 / 1,290
– Response rate	88.3%	71.6%

ΥΠΟΥΡΓΕΙΟ ΥΓΕΙΑΣ ΚΑΙ ΠΡΟΝΟΙΑΣ

ΒΙΒΛΙΑΡΙΟ
ΥΓΕΙΑΣ
ΠΑΙΔΙΟΥ



**Source of data:
parent held
“Child Health Booklet”**

**National vaccination survey, 2001,
2-3 yrs old children (N=722):
“Child Health Booklet” kept by
99,2% of parents.**


Main characteristics of sample

	<i>1st grade</i>	<i>9th grade</i>
• Median age	6.7 yrs	14.7 yrs
• Gender		
- Boys	50.4%	51.8%
- Girls	49.6%	48.2%
• Type of area		
- Urban	76.8%	87.1%
- Rural	23.2%	12.9%
• In minority group		
- Immigrant	7.8% (n=303)	10.3%
- Greek Muslim	7.5% (n=290) *	0.3%
- Greek Roma	1.3% (n=52)	0.4%
• Place of birth		
- Greece	94.4%	89.5%
- Other country	5.6% (n=216)	10.5%


* Increased sampling fraction in Thraki



HepA vaccination coverage, Greece, 2006



**1st grade
(6yrs old)**



**9th grade
(14yrs old)**

HepB-3 coverage (1st grade) by region

Gepgraphical region	n / N	%	95% CI
Ipiros - Ionian islands	569 / 611	93,1	90,1-95,3
Kriti - Aegean islands	582 / 605	96,2	94,1-97,5
Macedonia - Thessalia	618 / 639	96,9	94,9-98,1
Attiki	805 / 840	95,8	94,0-97,1
Stereia - Peloponnissos	558 / 608	91,7	88,6-94,1
Thraki	544 / 575	94,9	92,4-96,6
TOTAL	3676 / 3878	95,3	94,4- 96,1

HepB-3 coverage (1st grade) by type of area and minority group

Type of area	n / N	%	95% CI
Urban areas	2834 / 2980	95,3	94,3-96,2
Rural areas	842 / 898	95,2	92,3-97,0
Minority group	n / N	%	95% CI
Non minority	3079 / 3221	96,1	95,3-96,9
Immigrant	276 / 303	91,0	86,7-94,0
Greek Muslim	276 / 290	95,8	92,0-97,8
Greek Roma	33 / 52	58,6	38,8-75,9
TOTAL	3676 / 3878	95,3	94,4- 96,1


HepA-2 (1st grade) coverage by region

Gepgraphical region	n / N	%	95% CI
Ipiros - Ionian islands	119 / 611	19,4	14,0-26,3
Kriti - Aegean islands	196 / 605	32,4	25,6- 40,0
Macedonia - Thessalia	243 / 639	37,0	30,8-43,6
Attiki	415 / 840	49,4	45,3-53,5
Stereia - Peloponnissos	191 / 608	31,2	24,6-38,6
Thraki	69 / 575	12,4	9,5-16,0
TOTAL	1233 / 3878	36,9	34,1- 39,8


HepA-2 coverage (1st grade) by type of area and minority group

Type of area	n / N	%	95% CI
Urban areas	1040 / 2980	39,8	36,5-43,2
Rural areas	193 / 898	24,6	20,1-29,8
Minority group	n / N	%	95% CI
Non minority	1156 / 3221	40,0	37,0-43,1
Immigrant	43 / 303	14,7	10,1-20,9
Greek Muslim	29 / 290	10,8	6,9-16,5
Greek Roma	0 / 52	0	-
TOTAL	1233 / 3878	36,9	34,1- 39,8


HepB uptake by age (1st grade)



Hib uptake by age (1st grade)



HepB uptake by age (1st grade)




Risk of Chronic HBV Carriage by Age of Infection



Source: CDC, 2007

Type of service where vaccination was carried out



Conclusions

- **HepB**
 - High vaccination coverage in young school-children
 - Less in adolescents
 - Good coverage of immigrant and Greek Mouslim children
 - Poor coverage of Greek Roma children
 - Delay in starting vaccination / completing primary course
- **HepA**
 - Not in National Vaccination Programme
 - Large differences in coverage between social groups: high risk groups vaccinated less
- **Vaccination largely carried out in private sector**
- **Need to comprehend rationale of vaccination/scheme**